

CQ2k MANUAL CHILDREN BED


Registration code: SK-C2



SAIKANG/Medical









Technical parameters

 External size (LxWxH): 	1975x880x540 mm
Mattress platform:	1730x780 mm
Safe working load:	200 kg
 Back-rest adjustment: 	0-75° (土5°)
Knee-rest adjustment:	0-35° (±5°)

Technical configuration

🗹 Manual cranks		2pcs
☑ Stainless steel s	ide rail with extra protection	1set
☑ PP bed ends wit	th safe lock	1set
_	n, removeable, washable	5pcs
🗹 Anti-slip bed fee	et cover	4pcs
🗹 IV pole		1set
☑ IV pole prevision	n	4pcs
🗹 Drainage hook		2pcs



Safe working load





Back-rest adjustment



Knee-rest adjustment

35°

QUALITY CONTROL

SAIKANG medical, as a pioneer in the field of medical furniture, always choose branded suppliers strictly to ensure the safety and reliability of raw material. SAIKANG adopt robot welding, automatic epoxy coating. efficient assembly line, dedicated operator, rigorous quality control, only to guarantee SAIKANG's commitment on quality



Design

This Bed uses unique design to meet hospital strict gremfree request. Head & Foot board and platform are all seamless, which supports effective sterilization.



Steels | welding Baosteel from Fortune Global 500. Panasonic Robotic ensure 360° full smooth welding.

10 10

Siderail

easily.



Plastic | Painting Environmental plastic can be sterilized in 100°C, tensile upto 30MPa. 11 Process epoxy painting, ASTM testing anti-baterial, paint thickness 0.12mm, brightness 60°, paint can resist 50kg impact.





Mordern design PP head&foot board. Easy to be cleaned and installed.



Hand cranks Retractable hand crank, 100,000 times remaining intact.

Side rail made from stainless steel

and take 12-staff design. And it

with stainless steel protection

for patients can get on or off bed

imes remaining intact.

IV Pole Stainless steel plastic four-hook IV pole, bearing 15kg.

Castors 5" covered casters. TPR tire no worn out after running 30KM, save anti-winding hard shell, united forming without bolts. Pass Dynamic test: Bearing 120kg run

30KM and pass obstacles 500 time.









Design



Re



Manufacturing



Maintenance



Service



South America Branch

Saikang Medical Technology, Inc

W3400 Corrientes, Argentina TEL: +5493794312231 Av. Senador Vergueiro, 4204 - sala 31 Rudge Ramos - São Bernardo do Campo - SP, Brazil TEL: +55 (11) 2758-0438

East Africa Branch Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower, upper hill, nairobi, Kenya TEL: +254714084806

South East Asia Branch L

Saikang Medical Technology Ltd Sala Thammasop Subdistrict Thawi Watthana District Bangkok Thailand TEL: +66 642741046

UK Branch

Uk Healthward International Limited DEPT 111, 196 High Road Wood Green, London, N22 8HH United Kingdom TEL: +31 (0) 202111106

Russia Branch

LLC 'SAIKANG' 454004, Russian Federation, Chelyabinsk, Universitetskaya Naberezhnaya, Russia TEL: +7 (919)300-00-06

Mid East Branch Saikang Medical Supplies

(Mid East) LLC Musaffah P.O Box 53200, Abu Dhabi, UAE Tel: +971 585710652



Jiangsu Saikang Medical Equipment Co., Ltd. STOCK CODE: 870098

No. 35, Lehong Road · Zhangjiagang (Jiangsu) · China +86 18021231901 · S 24/7 export@saikangmedical.com

() www.saikangmedical.com





Company video